



DATA CENTER HIGH-SPEED CABLE PRODUCT CATALOG

POWERING NEXT-GENERATION NETWORKS

**Approved
Networks**
A brand of  legrand

TABLE OF CONTENTS

WHY APPROVED NETWORKS	3
EXECUTIVE SUMMARY	4
PRODUCT PORTFOLIO	5
DAC	6
ACC	8
AEC	8
AOC	8
Product Features	10
USE CASES	11
COMPATIBILITY	13
OnePort Programmable Solution	13
SUPPORT AND SERVICES	14
Technical Support & Engineering Assistance	14
Datasheets & Product Documentation	14
Certifications & Quality Assurance	14
Evaluation Units	14
Returns	14
Warranty Coverage	14
BEGIN YOUR PROJECT WITH CONFIDENCE	15
Contact Us	15
Stay in the Loop	15
ORDERING GUIDE	16

WHY APPROVED NETWORKS

When selecting high-speed optical transceivers and cables, buyers are often forced into a difficult trade-off. Original Equipment Manufacturers (OEMs) provide guaranteed compatibility, but typically at premium pricing and extended lead times. Generic third-party suppliers may reduce upfront costs, but can introduce uncertainty around validation, reliability, and long-term support. **Approved Networks eliminates this compromise.**

As AI and hyperscale data center environments accelerate, performance requirements become increasingly complex. Developing, validating, and qualifying high-speed optical solutions demands deep engineering expertise, advanced testing infrastructure, and ongoing interoperability investment—resources most organizations do not maintain internally.

Backed by Legrand, Approved Networks invests millions of dollars annually in research, development, and engineering. Every solution is fully tested, validated, and engineered for seamless integration across leading platforms.

The result: **OEM-level compatibility and performance, competitive economics, and dependable support—without the cost, risk, or complexity of developing and validating solutions in-house.**

Category	Approved Networks vs OEMs	Approved Networks vs Other 3rd-Party Providers
Compatibility	100% guaranteed compatibility with over 100 OEM platforms without voiding manufacturer warranties.	Broad compatibility supported by extensive multi-OEM testing across numerous platforms.
Reliability	99.98% reliability rate—matching or exceeding OEM quality benchmarks.	Proven reliability with low return rates, backed by comprehensive testing and quality controls.
Availability & Delivery	Significantly faster than typical OEM lead times.	High in-stock availability with a >98% on-time delivery rate, supporting more consistent fulfillment than many alternatives.
Cost Savings	Up to 80% lower cost than OEM list prices.	Cost-effective pricing that maintains OEM-grade quality—a more affordable high-performance option.
Warranty & Support	Industry-leading Limited Lifetime Warranty (coverage varies by product line).	Stronger warranty coverage, faster response times, and OEM-level expertise that most third-party providers cannot match.
Technical Expertise	30+ years of optical engineering experience ensures OEM-level firmware and hardware reconfiguration.	Backed by dedicated engineering teams and advanced in-house labs—capabilities many third-party providers lack.
Customer Satisfaction	Net Promoter Score (NPS) of 89, exceeding industry averages and many OEM service ratings.	High customer satisfaction and strong repeat business metrics.
Testing & Validation	Extensive in-house lab testing across platforms, thermal profiles, and compliance requirements.	Performs full in-house thermal, compliance, and interoperability testing.

EXECUTIVE SUMMARY



Modern data centers are experiencing **rapid growth in bandwidth demand driven by cloud computing, artificial intelligence, and large-scale data processing**. As network speeds continue to evolve from 10G and 25G to 100G, 200G, and 400G, **reliable high-speed interconnects have become essential** for enabling efficient communication between servers, switches, and storage systems.

High-speed interconnect cables provide the physical link that enables data transmission between networking equipment while balancing performance, power consumption, cost, and distance requirements. Depending on the deployment environment, these solutions may use copper or fiber-optic technologies to support different connectivity needs within the data center.

This catalog provides an overview of the **high-speed interconnect solutions offered by Approved Networks**, including the cable technologies commonly used in modern networking environments such as **Direct Attach Cables (DAC), Active Copper Cables (ACC), Active Electrical Cables (AEC), and Active Optical Cables (AOC)**. It is intended to help customers and sales teams better understand the available options and **select the appropriate solution for their deployment**.

Approved Networks, a brand of Legrand, provides high-performance fiber optic and copper connectivity solutions designed for modern networking environments. Our interconnect products are engineered for **reliability** and validated for **compatibility** across a wide range of OEM networking platforms, enabling organizations to deploy **scalable and flexible infrastructure** with confidence.

PRODUCT PORTFOLIO

High-speed cable is used here to refer to **DACs, ACCs, AECs, and AOCs**. These are all factory-terminated cable assemblies commonly used in **data center environments**.

Cable Type	Technology Type	Power Consumption	Relative Cost	Use Case	Key Advantage
Direct Attach Cable (DAC)	Passive copper twinax	Lowest	Lowest	Top-of-rack & Inter-rack	Lowest cost, passive cable assembly
Active Copper Cable (ACC)	Active copper with signal conditioning	Low	Low to Moderate	Inter-rack	Redriver boost signal strength
Active Electrical Cable (AEC)	Active copper with retimer technology	Moderate	Moderate	Inter-rack & Intra-rack	Regenerated signals, extending copper reach
Active Optical Cable (AOC)	Fiber optic with integrated transceivers	Moderate	Higher	End-of-Row, Middle-of- Row, Inter-rack	Lightweight, EMI immune, longest reach

After selecting the appropriate cable technology, the next step is identifying the **interface and form factor required by the network equipment**. Modern data center switches and servers support a range of high-speed interfaces designed to deliver increasing bandwidth and scalability.

The table below provides a quick reference to the **common interface types supported across Approved Networks high-speed interconnect solutions**, including DAC, ACC, AEC, and AOC cables. It highlights key characteristics such as **data rate, form factor, lane configuration, breakout capability, and typical reach** to help customers and sales teams quickly identify the right solution for their deployment.

DAC

Interface	Speed	Form Factor	Power Consumption (per end)	Reach	Typical Use Case
SFP10G					
	10Gb/s	SFP+ to SFP+	≤ 0.1 W	≤ 10 m	Top-of-rack, intra-rack server connectivity
SFP25G					
	25Gb/s	SFP28 to SFP28	≤ 0.1 W	≤ 5m	Top-of-rack, intra-rack server connectivity
QSFP40G					
	40Gb/s	QSFP+ to QSFP+	≤ 0.1 W	≤ 7m	Rack-to-rack, switch uplinks
Q40S10					
	40Gb/s	QSFP+ to 4 × SFP+	≤ 0.1 W	≤ 7m	Top-of-rack breakout, switch to multiple servers
QSFP56G					
	56Gb/s	QSFP+ to QSFP+	≤ 0.1 W	≤ 7m	Rack-to-rack, high-speed spine-leaf connectivity
QSFP100G					
	100Gb/s	QSFP28 to QSFP28	≤ 0.1 W	≤ 5m	Rack-to-rack, spine-leaf switch connectivity

Interface	Speed	Form Factor	Power Consumption (per end)	Reach	Typical Use Case
Q100S25					
	100Gb/s	QSFP28 to 4 x SFP28	≤ 0.1 W	≤ 5m	Top-of-rack breakout, switch to multiple servers
Q56200G					
	200Gb/s	QSFP56 to QSFP56	≤ 0.1 W	≤ 3.5m	Rack-to-rack, high-performance compute clusters
QDD400G					
	400Gb/s	QSFP-DD to QSFP-DD	≤ 0.1 W	≤ 3m	Spine-leaf, hyperscale switch connectivity
OSFP400G					
	400Gb/s	OSFP to OSFP	≤ 0.1 W	≤ 3m	Spine-leaf, AI and hyperscale interconnect
OSFP112					
	400Gb/s	OSFP to QSFP56	0.5 W	≤ 3m	Top-of-rack, intra-rack
OSFP800G					
	800Gb/s	OSFP to OSFP (Breakout options available)	≤ 0.5 W	≤ 3m	Top-of-rack, intra-rack

ACC

Interface	Speed	Form Factor	Power Consumption (per end)	Reach	Typical Use Case
OSFP800G					
	800Gb/s	OSFP to OSFP	≤ 1.5 W	≤ 5m	Intra-rack, Rack-to-rack

AEC

Interface	Speed	Form Factor	Power Consumption (per end)	Reach	Typical Use Case
QDD400G					
	400Gb/s	QSFP-DD to QSFP-DD	≤ 4.5 W	≤ 7m	Spine-leaf, hyperscale switch connectivity
OSFP400G					
	400Gb/s	OSFP to 4 x QSFP28	≤ 8.5 W (OSFP) ≤ 3.5 W (QSFP28)	≤ 5m	Spine-leaf, AI and hyperscale interconnect
OSFP800G					
	800Gb/s	OSFP to OSFP	≤ 11 W	≤ 7m	Lead-spine, Switch to Switch

AOC

Interface	Speed	Form Factor	Power Consumption (per end)	Reach	Typical Use Case
SFP10G					
	10Gb/s	SFP+ to SFP+	≤ 1.0 W	≤ 300m (OM3)	Top-of-rack, intra-rack server connectivity

Interface	Speed	Form Factor	Power Consumption (per end)	Reach	Typical Use Case
SFP25G					
	25Gb/s	SFP28 to SFP28 ≤ 100m (OM4)	≤ 1.0 W	≤ 70m (OM3) ≤ 100m (OM4)	Top-of-rack, intra-rack server connectivity
QSFP40G					
	40Gb/s	QSFP+ to QSFP+	≤ 1.5 W	≤ 300m (OM3) ≤ 400m (OM4)	Rack-to-rack, switch uplinks
Q40S10					
	40Gb/s	QSFP+ to 4 × SFP+	≤ 1.5 W (QSFP+) ≤ 0.8 W (SFP+)	≤ 150m	Top-of-rack breakout, switch to multiple servers
QSFP56G					
	56Gb/s	QSFP+ to QSFP+	≤ 1.5 W	≤ 25m	Rack-to-rack, high-speed spine-leaf connectivity
QSFP100G					
	100Gb/s	QSFP28 to QSFP28	≤ 2.5 W	≤ 70m (OM3) ≤ 100m (OM4)	Rack-to-rack, spine-leaf switch connectivity
Q100S25					
	100Gb/s	QSFP28 to 4 × SFP28	≤ 2.5 W (QSFP28)	≤ 50m (OM3)	Top-of-rack breakout, switch to multiple servers

Interface	Speed	Form Factor	Power Consumption (per end)	Reach	Typical Use Case
Q56200G					
	200Gb/s	QSFP56 to QSFP56	≤ 4.5 W	$\leq 70\text{m}$ (OM3) $\leq 100\text{m}$ (OM4)	Rack-to-rack, high-performance compute clusters
QDD400G					
	400Gb/s	QSFP-DD to QSFP-DD	≤ 8.0 W	$\leq 70\text{m}$ (OM3) $\leq 100\text{m}$ (OM4)	Spine-leaf, hyperscale switch connectivity
OSFP800G					
	800Gb/s	OSFP to OSFP	≤ 16	$\leq 50\text{m}$	End of row, middle of row connection

PRODUCT FEATURES


Approved Networks high-speed interconnect solutions are designed to provide flexibility for a wide range of data center deployments. In addition to supporting multiple interface formats and cable technologies, our solutions can be customized to meet specific infrastructure and deployment requirements.

Feature	Description
Multi-Vendor Compatibility	Each end of the cable can be programmed to support different vendor environments, enabling seamless interoperability between network equipment from multiple manufacturers.
Straight Cables or Breakouts	Many Approved Networks cables are available in both straight (point-to-point) and breakout configurations, allowing a single high-speed interface to connect to multiple lower-speed ports (for example, QSFP to multiple SFP connections). Breakout cables provide flexible deployment options for spine-leaf architectures and other modern network designs.
Custom Length	Approved Networks cables are available in a wide range of lengths to support both intra-rack and inter-rack connectivity. Custom length configurations help ensure optimal cable management, reduce excess cabling, and improve airflow within high-density data center environments.
Custom Jacket Colors	To simplify cable identification and organization, Approved Networks offers custom cable jacket color options. Color customization helps network operators quickly identify cable types and connections in complex data center environments, improving installation efficiency, and ongoing maintenance.

USE CASES


DIRECT ATTACH CABLES

DACs are ideal for intra-rack or inter-rack when distances permit – they are typically available up to 7m depending on the speed of the interface – see the chart above for speed and distance limitations. They are ideal where cost and power consumption are a concern, such as high-density connections between top-of-rack or middle-of-Rack switches where it is commonplace to have 96+ connections in a single server cabinet. DAC cables are also often used in Core Network Racks to interconnect routers, firewalls, switches, and other network devices.



ACTIVE COPPER CABLES


ACCs are ideal for high speed links, such as 800Gbps, where the signal needs to be boosted by a driver chip to ensure signal integrity. While they are more expensive than DAC cables, they are less expensive than AEC cabling.



Spine and Leaf switches connected up and over from Rack 1 to Rack 2 with ACC cables

ACTIVE ELECTRICAL CABLES


AECs differ from DAC and ACC cabling, as they have active components that retime both the clock and data for signal integrity. They have two main use cases – extending the distance on high-speed links, such as 200, 400, and 800G, as well as provide the ability to “Gear Box” the signals from one technology to another – an example of this would be breaking out a 400G QSFP-DD that utilizes 56G PAM4 modulation, to 4x 100G QSFP28 which uses NRZ modulation. They are more expensive than ACC cabling, but often less expensive than active optical cables. The cables are used to interconnect networking equipment, as well as high density 100G server deployment.



OSFP112 to 4x QSFP56 Breakout Cable

ACTIVE OPTICAL CABLES

AOCs are typically less expensive than purchasing two separate transceivers, or multiple transceivers in the case of breakout cables, as well as the cabling itself. Use cases range from intra-rack high-speed and high-density solutions, to data center distribution from the Core Network Gear to individual server cabinets. The two main advantages of using AOC cabling are ground isolation between devices, as there is no copper and reduced cable size – AOC cables are often much smaller than DAC/ACC/AEC cabling, which can be an important factor when running cables through overhead cable troughs, as well as inside of server racks where airflow restrictions can occur with large cable bundles.



AOC Example running 400G link
between Cab 1-4 and Cab 2-4

COMPATIBILITY

Approved Networks interconnect solutions are designed to operate seamlessly with a wide range of networking platforms. Products are programmed, validated, and tested to ensure reliable interoperability across major OEM systems while maintaining the flexibility of a multi-vendor solution.

Compatibility Features	Description
Supported OEM Platforms	Approved Networks solutions support compatibility with a wide range of networking manufacturers used in enterprise and data center environments, including vendors such as Cisco, Arista, Juniper, Dell, Intel, NVIDIA (Mellanox), and Brocade.
Multi-Vendor Compatibility	Approved Networks cables can be configured with different OEM compatibility profiles on each end of the cable, enabling connections between equipment from different manufacturers (for example, Cisco to Arista).
Compatibility Testing	Products undergo extensive compatibility and functionality testing in dedicated lab environments to ensure reliable operation across supported switches and server platforms.
Standards Compliance	Solutions are designed to meet relevant industry standards and OEM specifications to ensure stable link initialization and high-speed data transmission .
Reliability Assurance	Approved Networks interconnect solutions are backed by a proven reliability rate and are designed to deliver dependable performance across multi-vendor environments.

ONEPORT PROGRAMMABLE SOLUTION

OnePort is a reprogrammable tool that allows high-speed optical transceivers and cables to be configured for compatibility across multiple OEM platforms.

Key Benefits:

- **Simplifies Inventory:**
Use one cable across multiple platforms by reprogramming it, reducing the need to stock multiple part numbers.
- **Multi-Vendor Compatibility:**
Supports different OEMs on each end of the cable (e.g., Cisco, Arista, NVIDIA).
- **Reduced Downtime:**
No need to source specific vendor-coded cables in advance.
- **Lower Total Cost of Ownership:**
Less excess inventory, and reduced operational complexity.
- **Batch Coding:**
Program multiple cables (DACs or AOCs) at the same time with the same OEM compatibility settings instead of coding them one by one.

Note: Currently OnePort is able to support up to 100G



SUPPORT AND SERVICES

World-class connectivity deserves world-class support. Approved Networks provides a comprehensive suite of technical, commercial, and lifecycle support services designed to ensure confidence at every stage of your deployment—from evaluation to long-term operation.

Information for each support area is available online through the links below:

TECHNICAL SUPPORT & ENGINEERING ASSISTANCE

Access expert support through tickets, phone, email, or live chat, backed by dedicated engineers and advanced testing laboratories.

Learn more: <https://approvednetworks.com/technical-support/>

DATASHEETS & PRODUCT DOCUMENTATION

Download detailed technical datasheets for every transceiver and cable SKU, including specifications, power consumption, mechanical drawings, and optical performance.

Learn more: <https://approvednetworks.com/data-sheets/>

CERTIFICATIONS & QUALITY ASSURANCE

Explore our multi-platform validation program, with proven interoperability across 90+ OEM systems.

Learn more: <https://approvednetworks.com/quality-testing/>

EVALUATION UNITS

Test Approved Networks products in your environment with our evaluation and trial program prior to deployment.

Learn more: <https://approvednetworks.com/evaluations/>

RETURNS

Streamlined return processing for fast, efficient resolution.

Learn more: <https://approvednetworks.com/returns/>

WARRANTY COVERAGE

View full warranty terms for transceivers, DACs, ACCs, AECs, and AOCs, including serviceable lifetime coverage by product class.

Learn more: <https://approvednetworks.com/warranty/>

BEGIN YOUR PROJECT WITH CONFIDENCE

Building high-performance networks requires more than advanced hardware—it requires a **trusted partner** who understands your technical challenges, business objectives, and long-term vision. With Approved Networks, you gain more than connectivity solutions—you gain a team of experts dedicated to helping you **design, deploy, and scale with confidence**.

From initial architecture planning through deployment and ongoing lifecycle support, **our specialists partner with you at every stage** to ensure your connectivity strategy aligns with your **performance requirements, budget objectives, and long-term growth roadmap**.

Your network is the backbone of innovation. Take the next step by engaging with our team or staying connected to learn how Approved Networks can support your unique initiatives with **proven reliability, unmatched flexibility, and complete peace of mind**.

CONTACT US

Sales & General Inquiries:

Phone: 800-590-9535

Email: sales@approvednetworks.com

Address: 7575 East Pleasant Valley Road, Cleveland, OH 44131

Technical Support:

Phone: 800-860-7466 (option 2)

Email: ApprovedEngineeringSupport@legrand.com

Live Chat: [Available via the support portal](#)

Additional Support:

approvednetworks.com/contact-us

STAY IN THE LOOP



Approved Networks Website:

approvednetworks.com



Twitter:

twitter.com/approvedlegrand



LinkedIn:

linkedin.com/company/approved-networks



Blogs:

approvednetworks.com/blog



Instagram:

instagram.com/approvednetworks



YouTube:

youtube.com/@approved_networks

ORDERING GUIDE

DAC

Part Number	Description
200Gb/s	
C-Q200-Q200-2M-A	2m Arista compatible QSFP56 to QSFP56 InfiniBand HDR, 200 Gbps, QSFP28 Passive Twinax Cable
C-Q200-Q200-2.5M-A	2.5m Arista compatible QSFP56 to QSFP56 InfiniBand HDR, 200 Gbps, QSFP56 Passive Twinax Cable
C-Q200-Q200-3M-A	3m Arista compatible QSFP56 to QSFP56 InfiniBand HDR, 200 Gbps, QSFP28 Passive Twinax Cable
QSFP200G-CSMS-CU-2M-A	2m Cisco MSA compatible QSFP56 to QSFP56, 200 Gbps, Twinax Cable
QSFP200G-CSMS-CU-3M-A	3m Cisco MSA compatible QSFP56 to QSFP56, 200 Gbps, Twinax Cable
QSFP56200G-DFMX-HDR-CU1M-A	1m Dell & Mellanox compatible QSFP56 to QSFP56 InfiniBand HDR, 200 Gbps, QSFP56 Passive Twinax Cable
QSFP56200G-DFMS-HDR-CU1M-A	1m Dell & MSA compatible QSFP56 to QSFP56 InfiniBand HDR, 200 Gbps, QSFP56 Passive Twinax Cable
QSFP56200G-DFMS-HDR-CU2M-A	2m Dell & MSA compatible QSFP56 to QSFP56 InfiniBand HDR, 200 Gbps, QSFP56 Passive Twinax Cable
QSFP56200G-DFMX-HDR-CU2M-A	2m Dell & Mellanox compatible QSFP56 to QSFP56 InfiniBand HDR, 200 Gbps, QSFP28 Passive Twinax Cable
QSFP56200G-DFMX-HDR-CU3M-A	3m Dell & Mellanox compatible QSFP56 to QSFP56 InfiniBand HDR, 200 Gbps, QSFP28 Passive Twinax Cable
QSFP56200G-DFMS-HDR-CU3M-A	3m Dell & MSA compatible QSFP56 to QSFP56 InfiniBand HDR, 200 Gbps, QSFP56 Passive Twinax Cable
MCP1650-V00AE30-A	0.5m Mellanox/NVIDIA compatible QSFP56 to QSFP56 InfiniBand HDR, 200 Gbps, QSFP56 Passive Twinax Cable
MCP1650-V01AE30-A	1.5m Mellanox/NVIDIA compatible QSFP56 to QSFP56 InfiniBand HDR, 200 Gbps, QSFP56 Passive Twinax Cable
PCP1650-H002E26-A	2m Mellanox/NVIDIA compatible QSFP56 to QSFP56 InfiniBand HDR, 200 Gbps, QSFP28 Passive Twinax Cable
PCP1650-H003E26	3m Mellanox/NVIDIA compatible QSFP56 to QSFP56 InfiniBand HDR, 200 Gbps, QSFP28 Passive Twinax Cable
MCP1650-H003E26-A	3m Mellanox/NVIDIA compatible QSFP56 to QSFP56 InfiniBand HDR, 200 Gbps, QSFP28 Passive Twinax Cable
MCP1650-H003-A	3m Mellanox/NVIDIA compatible QSFP56 to QSFP56 InfiniBand HDR, 200 Gbps, QSFP28 Passive Twinax Cable
MCP1650-H00AE30-A	0.5m Mellanox compatible QSFP56 to QSFP56 InfiniBand HDR, 200 Gbps, QSFP56 Passive Twinax Cable
MCP1650-V001E30-A	1m Mellanox compatible QSFP56 to QSFP56, 200 Gbps, QSFP56 Passive Twinax Cable
MCP1650-H001E30-A	1m Mellanox compatible QSFP56 to QSFP56 InfiniBand HDR, 200 Gbps, QSFP28 Passive Twinax Cable
PCP1650-H01AE30	1.5m Mellanox compatible QSFP56 to QSFP56 InfiniBand HDR, 200 Gbps, QSFP56 Passive Twinax Cable
MCP1650-H01AE30-A	1.5m Mellanox compatible QSFP56 to QSFP56 InfiniBand HDR, 200 Gbps, QSFP56 Passive Twinax Cable
MCP1650-H002E26-A	2m Mellanox compatible QSFP56 to QSFP56 InfiniBand HDR, 200 Gbps, QSFP56 Passive Twinax Cable
MCP1650-V002E26-A	2m Mellanox compatible QSFP56 to QSFP56, 200 Gbps, QSFP56 Passive Twinax Cable
MCA1J00-H003E-A	3m Mellanox compatible QSFP56 to QSFP56 InfiniBand HDR, 200 Gbps, QSFP28 Passive Twinax Cable
MCP1650-V003E26-A	3m Mellanox compatible QSFP56 to QSFP56, 200 Gbps, QSFP56 Passive Twinax Cable
AN-Q56200G-CU-P-0.5M	0.5m MSA compatible QSFP56 to QSFP56, 200 Gbps, QSFP56 Passive Twinax Cable
AN-Q56200G-CU-P-1M	1m MSA compatible QSFP56 to QSFP56, 200 Gbps, QSFP56 Passive Twinax Cable
AN-Q56200G-CU-P-1.5M	1.5m MSA compatible QSFP56 to QSFP56, 200 Gbps, QSFP56 Passive Twinax Cable

DAC	
Part Number	Description
AN-Q56200G-CU-P-2M	2m MSA compatible QSFP56 to QSFP56, 200 Gbps, QSFP56 Passive Twinax Cable
CAB-Q56-DAC-HDR-2M-A	2m MSA compatible QSFP56 to QSFP56 InfiniBand HDR, 200 Gbps, QSFP28 Passive Twinax Cable
CAB-QSFP56-DACP-2M-A	2m MSA compatible QSFP56 to QSFP56, 200 Gbps, QSFP28 Passive Twinax Cable
AN-Q56200G-CU-P-3M	3m MSA compatible QSFP56 to QSFP56, 200 Gbps, QSFP28 Passive Twinax Cable
400Gb/s	
NDYYF0001-A	1m Amphenol compatible 400GBase-DAC QSFP-DD to QSFP-DD (Passive Twinax Copper, PVC) Direct Attach Cable
NDYYF0004-A	1.5m Amphenol compatible 400GBase-DAC QSFP-DD to QSFP-DD (Passive Twinax Copper, PVC) Direct Attach Cable
NDYYR0006-A	0.5m Amphenol compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
NDYYH0002-A	2m Amphenol compatible 400GBase-DAC QSFP-DD to QSFP-DD (Passive Twinax Copper, PVC) Direct Attach Cable
NDYYH0005-A	2.5m Amphenol compatible 400GBase-DAC QSFP-DD to QSFP-DD (Passive Twinax Copper, PVC) Direct Attach Cable
CAB-D-D-400G-50CM-A	0.5m Arista compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
QDD400G-ANJN-CU-1M-A	1m Arista & Juniper compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
CAB-D-D-400G-1M-A	1m Arista compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
CAB-D-D-400G-2.5M-A	2.5m Arista compatible QSFP-DD to QSFP-DD PASSIVE TWINAX 400Gbps
CAB-D-D-400G-3M-A	3m Arista compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
QDD400G-ANJN-CU-3M-A	3m Arista & Juniper compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
QDD400G-ANJN-CU-2M-A	2m Arista & Juniper compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
CAB-D-D-400G-2M-A	2m Arista compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
QDD-400-CU50CM-A	0.5m Cisco compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
QDD-400-CU1M-A	1m Cisco compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
QDD-400-CU1.5M-A	1.5m Cisco compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
QDD-400-CU2M-A	2m Cisco compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
QDD-400-CU2.5M-A	2.5m Cisco compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
QDD-400-CU3M-A	3m Cisco compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
DAC-Q56DD-400G-50CM-A	0.5m Dell compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
DAC-Q56DD-400G-1M-A	1m Dell compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
470-ADYT-A	2m Dell compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
DAC-Q56DD-400G-2M-A	2m Dell compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
DAC-Q56DD-400G-3M-A	3m Dell compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
MCP1660-W01AE30-A	1.5m Mellanox/NVIDIA compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
MCP1660-W02AE26-A	2.5m Mellanox/NVIDIA compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
MCP1660-W003E26-A	3m Mellanox/NVIDIA compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
MCP1660-W00AE30-A	0.5m Mellanox compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
MCP1660-W001E30-A	1m Mellanox compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
MCP1660-W002E26-A	2m Mellanox compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
2015911005-A	0.5m Molex compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
2015911010-A	1m Molex 2015911010 Compatible 400GBase-DAC QSFP-DD to QSFP-DD (Passive Twinax Copper, PVC) Direct Attach Cable

DAC

Part Number	Description
2015913015-A	1.5m Molex 2015913015 Compatible 400GBase-DAC QSFP-DD to QSFP-DD (Passive Twinax Copper, PVC) Direct Attach Cable
2015911015-A	1.5m Molex 2015911015 Compatible 400GBase-DAC QSFP-DD to QSFP-DD (Passive Twinax Copper, PVC) Direct Attach Cable
2015913020-A	2m Molex 2015913020 Compatible 400GBase-DAC QSFP-DD to QSFP-DD (Passive Twinax Copper, PVC) Direct Attach Cable
2015913025-A	2.5m Molex 2015913025 Compatible 400GBase-DAC QSFP-DD to QSFP-DD (Passive Twinax Copper, PVC) Direct Attach Cable
CAB-QDD-400G-DACP-25CM-A	0.25m MSA compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
AN-QDD400G-CU-P-50CM-BK	0.5m MSA compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
CAB-QDD-400G-DACP-50CM-A	0.5m MSA compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
AN-QDD400G-P-1M	1m MSA compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
QDD400G-JNMS-CU-1M-A	1m Juniper & MSA compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
CAB-QDD-400G-DACP-1M-A	1m MSA compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
400GQSFPDD-DA01	1m MSA Compatible 400G QSFP-DD Passive Direct-Attach Cable
AN-QDD400G-P-1.5M	1.5m MSA compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
400GQSFPDD-DA02	2m MSA Compatible 400G QSFP-DD Passive Direct-Attach Cable
CAB-QDD-400G-DACP-2M-A	2m MSA compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
CAB-QDD-400G-DACP-2.5M-A	2.5m MSA compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
400GQSFPDD-DA025	2.5m MSA Compatible 400G QSFP-DD Passive Direct-Attach Cable
400GQSFPDD-DA03	3m MSA Compatible 400G QSFP-DD Passive Direct-Attach Cable
CAB-QDD-400G-DACP-3M-A	3m MSA compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
QDD-400G-DAC-50CM-A	0.5m Juniper compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
QDD-400G-DAC-1M-A	1m Juniper compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
QDD-400G-DAC-1.5M-A	1.5m Juniper compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
CAB-QDD-400G-DACP-1.5M-A	1.5m Juniper compatible QSFP-DD to QSFP-DD PASSIVE TWINAX 400Gbps
QDD-400G-DAC-2M-A	2m Juniper compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
QDD-400G-DAC-2P5M-A	2.5m Juniper compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Passive Twinax Cable
CAB-O-O-400G-3M-A	3m Arista compatible OSFP to OSFP, 400 Gbps, QSFP-DD Passive Twinax Cable
AN-O400G2Q56-DAC-1M	1m MSA Compatible 400GBase-DAC OSFP Open Finned Top to 2x 200G QSFP56 Breakout (Passive Twinax Copper, PVC, Ethernet) Direct Attach Cable
AN-O400G2Q56-DAC-1.5M	1.5m MSA Compatible 400GBase-DAC OSFP Open Finned Top to 2x 200G QSFP56 Breakout (Passive Twinax Copper, PVC, Ethernet) Direct Attach Cable
AN-O400G2Q56-DAC-2M	2m MSA Compatible 400GBase-DAC OSFP Open Finned Top to 2x 200G QSFP56 Breakout (Passive Twinax Copper, PVC, Ethernet) Direct Attach Cable
AN-O400G2Q56-DAC-3M	3m MSA Compatible 400GBase-DAC OSFP Open Finned Top to 2x 200G QSFP56 Breakout (Passive Twinax Copper, PVC, Ethernet) Direct Attach Cable
MCP7Y60-H002-A	2m Nvidia MCP7Y60-H002 Compatible 400GBase-DAC OSFP Open Finned Top to 2x 200G QSFP56 Breakout (Passive Twinax Copper, PVC, IB HDR, CMIS 5.2) Direct Attach Cable
MCP7Y60-H003-A	3m Nvidia MCP7Y60-H003 Compatible 400GBase-DAC OSFP Open Finned Top to 2x 200G QSFP56 Breakout (Passive Twinax Copper, PVC, IB HDR) Direct Attach Cable
MCP7Y60-H001-A	1m Nvidia MCP7Y60-H001 Compatible 400GBase-DAC OSFP Open Finned Top to 2x 200G QSFP56 Breakout (Passive Twinax Copper, PVC, IB HDR) Direct Attach Cable

DAC	
Part Number	Description
MCP7Y60-H01A-A	1.5m Nvidia MCP7Y60-H01A Compatible 400GBase-DAC OSFP Open Finned Top to 2x 200G QSFP56 Breakout (Passive Twinax Copper, PVC, IB HDR) Direct Attach Cable
OSFP400G-FLT-QDD-NVAN-CU-1.5M-A	1.5m, Nvidia to Arista Compatible 400GBase-DAC OSFP Flat Top to QSFP-DD (Passive Twinax Copper, Braided Mesh, 8x 50G PAM4, CMIS 4.0, C-Temp) Direct Attach Cable
OSFP400G-FLT-QDD-NVAN-CU-I-1.5M-A	1.5m, Nvidia to Arista Compatible 400GBase-DAC OSFP Flat Top to QSFP-DD (Passive Twinax Copper, Braided Mesh, 8x 50G PAM4, CMIS 4.0, I-Temp) Direct Attach Cable
OSFP400G-FLT-QDD-NVAN-CU-2M-A	2m, Nvidia to Arista Compatible 400GBase-DAC OSFP Flat Top to QSFP-DD (Passive Twinax Copper, Braided Mesh, 8x 50G PAM4, CMIS 4.0, C-Temp) Direct Attach Cable
OSFP400G-FLT-QDD-NVAN-CU-I-2M-A	2m, Nvidia to Arista Compatible 400GBase-DAC OSFP Flat Top to QSFP-DD (Passive Twinax Copper, Braided Mesh, 8x 50G PAM4, CMIS 4.0, I-Temp) Direct Attach Cable
OSFP400G-FLT-QDD-NVAN-CU-3M-A	3m, Nvidia to Arista Compatible 400GBase-DAC OSFP Flat Top to QSFP-DD (Passive Twinax Copper, Braided Mesh, 8x 50G PAM4, CMIS 4.0, C-Temp) Direct Attach Cable
OSFP400G-FLT-QDD-NVAN-CU-I-3M-A	3m, Nvidia to Arista Compatible 400GBase-DAC OSFP Flat Top to QSFP-DD (Passive Twinax Copper, Braided Mesh, 8x 50G PAM4, CMIS 4.0, I-Temp) Direct Attach Cable
800Gb/s	
AN-O800G2O-P-0.5M	0.5m MSA Compatible 800GBase-DAC OSFP Open Finned Top to 2x 400G OSFP Flat Top Breakout (Passive Twinax Copper, PVC, IB NDR and Ethernet) Direct Attach Cable
AN-O800G2O-P-1M	1m MSA Compatible 800GBase-DAC OSFP Open Finned Top to 2x 400G OSFP Flat Top Breakout (Passive Twinax Copper, PVC, IB NDR and Ethernet) Direct Attach Cable
AN-O800G-CLT-4O-FLT-P-1M	1m MSA Compatible 800GBase-DAC OSFP Closed Finned Top to 4x 200G OSFP Flat Top Breakout (Passive Twinax Copper, HAIRTAIL+, CMIS 5.0, InfiniBand NDR200 and Eth) Direct Attach Cable
AN-O800G-CLT-4O-FLT-P-1P5M	1.5m MSA Compatible 800GBase-DAC OSFP Closed Finned Top to 4x 200G OSFP Flat Top Breakout (Passive Twinax Copper, HAIRTAIL+, CMIS 5.0, InfiniBand NDR200 and Eth) Direct Attach Cable
AN-O800G2O-P-1.5M	1.5m MSA Compatible 800GBase-DAC OSFP Open Finned Top to 2x 400G OSFP Flat Top Breakout (Passive Twinax Copper, PVC, IB NDR and Ethernet) Direct Attach Cable
AN-O800G2O-P-2M	2m MSA Compatible 800GBase-DAC OSFP Open Finned Top to 2x 400G OSFP Flat Top Breakout (Passive Twinax Copper, PVC, IB NDR and Ethernet) Direct Attach Cable
AN-O800G-CLT-4O-FLT-P-2M	2m MSA Compatible 800GBase-DAC OSFP Closed Finned Top to 4x 200G OSFP Flat Top Breakout (Passive Twinax Copper, HAIRTAIL+, CMIS 5.0, InfiniBand NDR200 and Eth) Direct Attach Cable
AN-O800G-CLT-4O-FLT-P-2P5M	2.5m MSA Compatible 800GBase-DAC OSFP Closed Finned Top to 4x 200G OSFP Flat Top Breakout (Passive Twinax Copper, HAIRTAIL+, CMIS 5.0, InfiniBand NDR200 and Eth) Direct Attach Cable
AN-O800G2O-P-2.5M	2.5m MSA Compatible 800GBase-DAC OSFP Open Finned Top to 2x 400G OSFP Flat Top Breakout (Passive Twinax Copper, PVC, IB NDR and Ethernet) Direct Attach Cable
AN-O800G-CLT-4O-FLT-P-3M	3m MSA Compatible 800GBase-DAC OSFP Closed Finned Top to 4x 200G OSFP Flat Top Breakout (Passive Twinax Copper, HAIRTAIL+, CMIS 5.0, InfiniBand NDR200 and Eth) Direct Attach Cable
AN-O800G2O-P-3M	3m MSA Compatible 800GBase-DAC OSFP Open Finned Top to 2x 400G OSFP Flat Top Breakout (Passive Twinax Copper, PVC, IB NDR and Ethernet) Direct Attach Cable
MCP4Y10-N00A-CLT-A	0.5m Nvidia MCP4Y10-N00A-CLT Compatible 800GBase-DAC OSFP Closed Finned Top to OSFP Closed Finned Top (Passive Twinax Copper, PVC, InfiniBand NDR and Eth) Direct Attach Cable
MCP7Y00-N00A-A	0.5m Nvidia MCP7Y00-N00A Compatible 800GBase-DAC OSFP Open Finned Top to 2x 400G OSFP Flat Top Breakout (Passive Twinax Copper, PVC, IB NDR and Ethernet) Direct Attach Cable
MCP4Y10-N001-CLT-A	1m Nvidia MCP4Y10-N010-CLT Compatible 800GBase-DAC OSFP Closed Finned Top to OSFP Closed Finned Top (Passive Twinax Copper, PVC, InfiniBand NDR and Eth) Direct Attach Cable
MCP7Y50-N001-CLT-A	1m Nvidia MCP7Y50-N001-CLT Compatible 800GBase-DAC OSFP Closed Finned Top to 4x 200G OSFP Flat Top Breakout (Passive Twinax Copper, HAIRTAIL+, CMIS 5.0, InfiniBand NDR200 and Eth) Direct Attach Cable

DAC

Part Number	Description
MCP7Y00-N001-A	1m Nvidia MCP7Y00-N001 Compatible 800GBase-DAC OSFP Open Finned Top to 2x 400G OSFP Flat Top Breakout (Passive Twinax Copper, PVC, IB NDR and Ethernet) Direct Attach Cable
MCP4Y10-N01A-CLT-A	1.5m Nvidia MCP4Y10-N01A-CLT Compatible 800GBase-DAC OSFP Closed Finned Top to OSFP Closed Finned Top (Passive Twinax Copper, PVC, InfiniBand NDR and Eth) Direct Attach Cable
MCP7Y50-N01A-CLT-A	1.5m Nvidia MCP7Y50-N01A-CLT Compatible 800GBase-DAC OSFP Closed Finned Top to 4x 200G OSFP Flat Top Breakout (Passive Twinax Copper, HAIRTAIL+, CMIS 5.0, InfiniBand NDR200 and Eth) Direct Attach Cable
MCP7Y00-N01A-A	1.5m Nvidia MCP7Y00-N01A Compatible 800GBase-DAC OSFP Open Finned Top to 2x 400G OSFP Flat Top Breakout (Passive Twinax Copper, PVC, IB NDR and Ethernet) Direct Attach Cable
MCP4Y10-N002-CLT-A	2m Nvidia MCP4Y10-N002-CLT Compatible 800GBase-DAC OSFP Closed Finned Top to OSFP Closed Finned Top (Passive Twinax Copper, HAIRTAIL+, InfiniBand NDR and Eth) Direct Attach Cable
MCP7Y50-N002-CLT-A	2m Nvidia MCP7Y50-N002-CLT Compatible 800GBase-DAC OSFP Closed Finned Top to 4x 200G OSFP Flat Top Breakout (Passive Twinax Copper, HAIRTAIL+, CMIS 5.0, InfiniBand NDR200 and Eth) Direct Attach Cable
MCP7Y00-N002-A	2m Nvidia MCP7Y00-N002 Compatible 800GBase-DAC OSFP Open Finned Top to 2x 400G OSFP Flat Top Breakout (Passive Twinax Copper, PVC, IB NDR and Ethernet) Direct Attach Cable
MCP4Y10-N02A-CLT-A	2.5m Nvidia MCP4Y10-N02A-CLT Compatible 800GBase-DAC OSFP Closed Finned Top to OSFP Closed Finned Top (Passive Twinax Copper, HAIRTAIL+, InfiniBand NDR and Eth) Direct Attach Cable
MCP7Y50-N02A-CLT-A	2.5m Nvidia MCP7Y50-N02A-CLT Compatible 800GBase-DAC OSFP Closed Finned Top to 4x 200G OSFP Flat Top Breakout (Passive Twinax Copper, HAIRTAIL+, CMIS 5.0, InfiniBand NDR200 and Eth) Direct Attach Cable
MCP7Y00-N02A-A	2.5m Nvidia MCP7Y00-N02A Compatible 800GBase-DAC OSFP Open Finned Top to 2x 400G OSFP Flat Top Breakout (Passive Twinax Copper, PVC, IB NDR and Ethernet) Direct Attach Cable
MCP7Y00-N003-A	3m Nvidia MCP7Y00-N003 Compatible 800GBase-DAC OSFP Open Finned Top to 2x 400G OSFP Flat Top Breakout (Passive Twinax Copper, PVC, IB NDR and Ethernet) Direct Attach Cable
MCP7Y50-N003-CLT-A	3m Nvidia MCP7Y50-N003-CLT Compatible 800GBase-DAC OSFP Closed Finned Top to 4x 200G OSFP Flat Top Breakout (Passive Twinax Copper, HAIRTAIL+, CMIS 5.0, InfiniBand NDR200 and Eth) Direct Attach Cable
MCP4Y10-N003-CLT-A	3m Nvidia MCP4Y10-N003-CLT Compatible 800GBase-DAC OSFP Closed Finned Top to OSFP Closed Finned Top (Passive Twinax Copper, HAIRTAIL+, InfiniBand NDR and Eth) Direct Attach Cable

ACC

Part Number	Description
800Gb/s	
AN-O800G4O-ACC-3M	3m MSA Compatible 800GBase-ACC OSFP Open Finned Top to 4x 200G OSFP Flat Top Breakout (Active Twinax Copper, PVC, Ethernet) Active Copper Cable
AN-O800G-ACC-3M	3m MSA Compatible 800GBase-ACC OSFP Open Finned Top to OSFP Open Finned Top (Active Twinax Copper, PVC, IB Twin NDR and Ethernet) Active Copper Cable
AN-O800G4O-ACC-3.5M	3.5m MSA Compatible 800GBase-ACC OSFP Open Finned Top to 4x 200G OSFP Flat Top Breakout (Active Twinax Copper, PVC, Ethernet) Active Copper Cable
AN-O800G-ACC-3.5M	3.5m MSA Compatible 800GBase-ACC OSFP Open Finned Top to OSFP Open Finned Top (Active Twinax Copper, PVC, IB Twin NDR and Ethernet) Active Copper Cable
AN-O800G4O-ACC-4M	4m MSA Compatible 800GBase-ACC OSFP Open Finned Top to 4x 200G OSFP Flat Top Breakout (Active Twinax Copper, PVC, Ethernet) Active Copper Cable
AN-O800G-ACC-4M	4m MSA Compatible 800GBase-ACC OSFP Open Finned Top to OSFP Open Finned Top (Active Twinax Copper, PVC, IB Twin NDR and Ethernet) Active Copper Cable

ACC	
Part Number	Description
AN-O800G-ACC-4.5M	4.5m MSA Compatible 800GBase-ACC OSFP Open Finned Top to OSFP Open Finned Top (Active Twinax Copper, PVC, IB Twin NDR and Ethernet) Active Copper Cable
AN-O800G4O-ACC-4.5M	4.5m MSA Compatible 800GBase-ACC OSFP Open Finned Top to 4x 200G OSFP Flat Top Breakout (Active Twinax Copper, PVC, Ethernet) Active Copper Cable
AN-O800G4O-ACC-5M	5m MSA Compatible 800GBase-ACC OSFP Open Finned Top to 4x 200G OSFP Flat Top Breakout (Active Twinax Copper, PVC, Ethernet) Active Copper Cable
AN-O800G-ACC-5M	5m MSA Compatible 800GBase-ACC OSFP Open Finned Top to OSFP Open Finned Top (Active Twinax Copper, PVC, IB Twin NDR and Ethernet) Active Copper Cable
MCA7J70-N003-A	3m Nvidia MCA7J70-N003 Compatible 800GBase-ACC OSFP Open Finned Top to 4x 200G OSFP Flat Top Breakout (Active Twinax Copper, PVC, InfiniBand HDR & Ethernet) Active Copper Cable
MCA4J80-N003-A	3m Nvidia Compatible 800GBase-ACC OSFP Open Finned Top to OSFP Open Finned Top (Active) ACC, up to 5m, Nvidia Compatible
MCA4J80-N003A-A	3.5m Nvidia MCA4J80-N003 Compatible 800GBase-ACC OSFP Open Finned Top to OSFP Open Finned Top (Active Twinax Copper, PVC, IB Twin NDR Ports) Active Copper Cable
MCA7J70-N003A-A	3.5m Nvidia MCA7J70-N004 Compatible 800GBase-ACC OSFP Open Finned Top to 4x 200G OSFP Flat Top Breakout (Active Twinax Copper, PVC, InfiniBand HDR & Ethernet) Active Copper Cable
MCA7J70-N004-A	4m Nvidia MCA7J70-N004 Compatible 800GBase-ACC OSFP Open Finned Top to 4x 200G OSFP Flat Top Breakout (Active Twinax Copper, PVC, InfiniBand HDR & Ethernet) Active Copper Cable
MCA4J80-N004-A	4m Nvidia MCA4J80-N004 Compatible 800GBase-ACC OSFP Open Finned Top to OSFP Open Finned Top (Active Twinax Copper, PVC, IB Twin NDR Ports) Active Copper Cable
MCA4J80-N004A-A	4.5m Nvidia MCA4J80-N003 Compatible 800GBase-ACC OSFP Open Finned Top to OSFP Open Finned Top (Active Twinax Copper, PVC, IB Twin NDR Ports) Active Copper Cable
MCA7J70-N004A-A	4.5m Nvidia MCA7J70-N004 Compatible 800GBase-ACC OSFP Open Finned Top to 4x 200G OSFP Flat Top Breakout (Active Twinax Copper, PVC, InfiniBand HDR & Ethernet) Active Copper Cable
MCA7J70-N005-A	5m Nvidia MCA7J70-N005 Compatible 800GBase-ACC OSFP Open Finned Top to 4x 200G OSFP Flat Top Breakout (Active Twinax Copper, PVC, InfiniBand HDR & Ethernet) Active Copper Cable
MCA4J80-N005-A	5m Nvidia MCA4J80-N005 Compatible 800GBase-ACC OSFP Open Finned Top to OSFP Open Finned Top (Active Twinax Copper, PVC, IB Twin NDR and Ethernet) Active Copper Cable

AEC	
Part Number	Description
400Gb/s	
H-D400-4Q100-3M-A	3m Arista compatible QSFP-DD to 4x 100G QSFP28 Active Electrical Cable, 400 Gbps aggregate, CMIS 3.0
H-D400-4Q100-5M-A	5m Arista compatible QSFP-DD to 4x 100G QSFP28 Active Electrical Cable, 400 Gbps aggregate, CMIS 3.0
CAB-D-D-AEC-LP-7M-A	7m Arista compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Active Electrical Cable, Low Power, CMIS 4.0
CAB-D-D-AEC-7M-LP-A	7m Arista compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Active Electrical Cable, Low Power, CMIS 3.0
QDD-400-AEC-LP-7M-A	7m Cisco compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Active Electrical Cable, Low Power, CMIS 4.0
QDD-400-AEC-7M-LP-A	7m Cisco compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Active Electrical Cable, Low Power, CMIS 3.0
AN-QDD400Q28-AEC-5M-3	5m MSA compatible QSFP-DD to 4x 100G QSFP28 Active Electrical Cable, 400 Gbps aggregate, CMIS 3.0
CBL-QDD-AEC-LP-7M-3-A	7m MSA compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Active Electrical Cable, Low Power, CMIS 3.0
CBL-QDD-AEC-LP-7M-A	7m MSA compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Active Electrical Cable, Low Power, CMIS 4.0
AN-QDD400G-AEC-LP-7M-PR	7m MSA compatible QSFP-DD to QSFP-DD, 400 Gbps, QSFP-DD Active Electrical Cable, Low Power, CMIS 4.0
AN-QDD400Q28-AEC-3M-3	3m QSFP-DD to 4x 100G QSFP28 Active Electrical Cable, 400 Gbps aggregate, CMIS 3.0
H-O400Q28AE3M3-A	3m Arista compatible OSFP to 4x 100G QSFP28 Active Electrical Cable, 400 Gbps aggregate, CMIS 3.0

AEC

Part Number	Description
H-O4004Q28AE3M5-A	5m Arista compatible OSFP to 4x 100G QSFP28 Active Electrical Cable, 400 Gbps aggregate, CMIS 3.0
OSFP-4X28AE3-3M-A	3m Cisco compatible OSFP to 4x 100G QSFP28 Active Electrical Cable, 400 Gbps aggregate, CMIS 3.0
OSFP-4X28AE3-5M-A	5m Cisco compatible OSFP to 4x 100G QSFP28 Active Electrical Cable, 400 Gbps aggregate, CMIS 3.0
OSF-4XQ28AE3-3M-A	3m MSA compatible OSFP to 4x 100G QSFP28 Active Electrical Cable, 400 Gbps aggregate, CMIS 3.0
AN-OS4004Q28-AEC-5M	5m MSA compatible OSFP to 4x 100G QSFP28 Active Electrical Cable, 400 Gbps aggregate, CMIS 3.0
OSF-4XQ28AE3-5M-A	5m MSA compatible OSFP to 4x 100G QSFP28 Active Electrical Cable, 400 Gbps aggregate, CMIS 3.0

AOC

Part Number	Description
200Gb/s	
A-Q200-Q200-3M-A	3m Arista Compatible 200GBase-AOC QSFP56 to QSFP56 (Aqua OM3 Fiber, 850 nm, LSZH; Ethernet) Active Optical Cable.
MFS1S00-V001E-A	1m Mellanox/NVIDIA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF, 850 nm, LSZH; Ethernet) Active Optical Cable.
MFS1S00-H001V-A	1m Mellanox/NVIDIA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S50-H001V-A	1m Mellanox/NVIDIA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-V002E-A	2m Mellanox/NVIDIA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF, 850 nm, LSZH; Ethernet) Active Optical Cable.
MFS1S00-V005E-A	5m Mellanox/NVIDIA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF, 850 nm, LSZH; Ethernet) Active Optical Cable.
MFS1S00-V007E-A	7m Mellanox/NVIDIA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF, 850 nm, LSZH; Ethernet) Active Optical Cable.
MFS1S00-H007V-A	7m Mellanox/NVIDIA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-V009E-A	9m Mellanox/NVIDIA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF, 850 nm, LSZH; Ethernet) Active Optical Cable.
MFS1S00-H009V-A	9m Mellanox/NVIDIA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-V010E-A	10m Mellanox/NVIDIA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF, 850 nm, LSZH; Ethernet) Active Optical Cable.
MFS1S00-V012E-A	12m Mellanox/NVIDIA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF, 850 nm, LSZH; Ethernet) Active Optical Cable.
MFS1S00-H012V-A	12m Mellanox/NVIDIA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-V015E-A	15m Mellanox/NVIDIA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF, 850 nm, LSZH; Ethernet) Active Optical Cable.
MFS1S00-V020E-A	20m Mellanox/NVIDIA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF, 850 nm, LSZH; Ethernet) Active Optical Cable.
MFS1S00-H020V-A	20m Mellanox/NVIDIA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H030V-A	30m Mellanox/NVIDIA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.

AOC	
Part Number	Description
MFS1S00-H100V-A	100m Mellanox/NVIDIA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H001E-A	1m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H002V-A	2m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H002E-A	2m Mellanox compatible 200G to 200G, QSFP56 to QSFP56 InfiniBand HDR Active Optical Cable
MFS1S00-H003E-A	3m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
PFS1S00-H003E	3m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
PFS1S00-H003V	3m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (Aqua OM3 Fiber, 850 nm; InfiniBand HDR) Active Optical Cable.
MFS1S00-H004E	4m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H004E-A	4m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H005E-A	5m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H005V-A	5m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (Aqua OM3 Fiber, 850 nm; InfiniBand HDR) Active Optical Cable.
MFS1S00-H006E-A	6m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H007E-A	7m Mellanox compatible 200G to 200G, QSFP56 to QSFP56 InfiniBand HDR Active Optical Cable
MFS1S00-H008E-A	8m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H009E-A	9m Mellanox compatible 200G to 200G, QSFP56 to QSFP56 InfiniBand HDR Active Optical Cable
MFS1S00-H010E-A	10m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H010V-A	10m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS100-H010V-A	10m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H011E-A	11m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H012E-A	12m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H013E-A	13m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H014E-A	14m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H015E-A	15m Mellanox compatible 200G to 200G, QSFP56 to QSFP56 InfiniBand HDR Active Optical Cable
MFS1S00-H015V-A	15m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H016E-A	16m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H017E-A	17m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H018E-A	18m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H019E-A	19m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H020E-A	20m Mellanox compatible 200G to 200G, QSFP56 to QSFP56 InfiniBand HDR Active Optical Cable
MFS1S00-H030E-A	20m Mellanox compatible 200G to 200G, QSFP56 to QSFP56 InfiniBand HDR Active Optical Cable
MFS1S00-H021E-A	21m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H022E-A	22m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H023E-A	23m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H024E-A	24m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H025E-A	25m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H026E-A	26m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H027E-A	27m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H028E-A	28m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.

AOC

[illegible]

AOC	
Part Number	Description
MFS1S00-H071E-A	71m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H072E-A	72m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H073E-A	73m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H074E-A	74m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H075E-A	75m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H076E-A	76m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H077E-A	77m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H079E-A	79m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H080E-A	80m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H081E-A	81m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H082E-A	82m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H083E-A	83m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H084E-A	84m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H085E-A	85m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H086E-A	86m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H087E-A	87m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H088E-A	88m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H089E-A	89m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H090E-A	90m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H091E-A	91m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H092E-A	92m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H093E-A	93m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H094E-A	94m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H095E-A	95m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H096E-A	96m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H097E-A	97m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H098E-A	98m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
MFS1S00-H099E-A	99m Mellanox Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF; InfiniBand HDR) Active Optical Cable.
AN-Q56200G-AOC-1M-AQ	1m MSA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF, 850 nm, LSZH; Ethernet) Active Optical Cable.
AN-Q56200G-AOC-2M-AQ	2m MSA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF, 850 nm, LSZH; Ethernet) Active Optical Cable.
AN-Q56200G-AOC-3M-AQ	3m MSA Compatible 200GBase-AOC QSFP56 to QSFP56 (Aqua OM3 Fiber, 850 nm, LSZH; Ethernet) Active Optical Cable.
AN-Q56200G-AOC-4M-HDR-AQ	4m MSA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF, 850nm, LSZH, Ethernet and IB HDR) Active Optical Cable
AN-Q56200G-AOC-4M-AQ	4m MSA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF, 850 nm, LSZH; Ethernet) Active Optical Cable.
AN-Q56200G-AOC-5M-AQ	5m MSA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF, 850 nm, LSZH; Ethernet) Active Optical Cable.
AN-Q56200G-AOC-5M-HDR-AQ	5m MSA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF, 850nm, LSZH, Ethernet and IB HDR) Active Optical Cable
AN-Q56200G-AOC-6M-HDR-AQ	6m MSA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF, 850nm, LSZH, Ethernet and IB HDR) Active Optical Cable
AN-Q56200G-AOC-7M-AQ	7m MSA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF, 850 nm, LSZH; Ethernet) Active Optical Cable.

AOC

Part Number	Description
AN-Q56200G-AOC-7M-HDR-AQ	7m MSA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF, 850nm, LSZH, Ethernet and IB HDR) Active Optical Cable
AN-Q56200G-AOC-8M-HDR-AQ	8m MSA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF, 850nm, LSZH, Ethernet and IB HDR) Active Optical Cable
AN-Q56200G-AOC-9M-AQ	9m MSA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF, 850 nm, LSZH; Ethernet) Active Optical Cable.
AN-Q56200G-AOC-9M-HDR-AQ	9m MSA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF, 850nm, LSZH, Ethernet and IB HDR) Active Optical Cable
AN-Q56200G-AOC-10M-HDR-AQ	10m MSA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF, 850nm, LSZH, Ethernet and IB HDR) Active Optical Cable
AN-Q56200G-AOC-10M-AQ	10m MSA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF, 850 nm, LSZH; Ethernet) Active Optical Cable.
AN-Q56200G-AOC-12M-AQ	12m MSA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF, 850 nm, LSZH; Ethernet) Active Optical Cable.
AN-Q56200G-AOC-15M-AQ	15m MSA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF, 850 nm, LSZH; Ethernet) Active Optical Cable.
AN-Q56200G-AOC-20M-AQ	20m MSA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF, 850 nm, LSZH; Ethernet) Active Optical Cable.
AN-Q56200G-AOC-30M-AQ	30m MSA Compatible 200GBase-AOC QSFP56 to QSFP56 (MMF, 850 nm, LSZH; Ethernet) Active Optical Cable.

400Gb/s

AOC-D-D-400G-1M-A	1m Arista Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
AOC-D-D-400G-1.5M-A	1.5m Arista Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
AOC-D-D-400G-2M-A	2m Arista Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
AOC-D-D-400G-2.5M-A	2.5m Arista Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
AOC-D-D-400G-3M-A	3m Arista Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
AOC-D-D-400G-5M-A	5m Arista Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm) Active Optical Cable.
AOC-D-D-400G-6M-A	6m Arista Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
AOC-D-D-400G-7M-A	7m Arista Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm) Active Optical Cable.
AOC-D-D-400G-8M-A	8m Arista Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
AOC-D-D-400G-9M-A	9m Arista Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
AOC-D-D-400G-10M-A	10m Arista Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
AOC-D-D-400G-11M-A	11m Arista Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
AOC-D-D-400G-14M-A	14m Arista Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
AOC-D-D-400G-15M-A	10m Arista Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
AOC-D-D-400G-20M-A	20m Arista Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.

AOC	
Part Number	Description
AOC-D-D-400G-25M-A	25m Arista AOC-D-D-400G-25M Compatible 400GBase-AOC QSFP-DD to QSFP-DD (MMF, 850 nm, LSZH) Active Optical Cable.
AOC-D-D-400G-30M-A	30m Arista Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
QDD-400-AOC0.5M-A	0.5m Cisco Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
QDD-400G-AOC1M-A	1m Cisco QDD-400G-AOC1M Compatible 400GBase-AOC QSFP-DD to QSFP-DD (MMF, 850 nm, LSZH) Active Optical Cable.
QDD-400-AOC1.5M-A	1.5m Cisco Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
QDD-400-AOC22M-A	2m Cisco Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
QDD-400-AOC2M-A	2m Cisco Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
QDD-400G-AOC2M-A	2m Cisco QDD-400G-AOC2M Compatible 400GBase-AOC QSFP-DD to QSFP-DD (MMF, 850 nm, LSZH) Active Optical Cable.
QDD-400-AOC2.5M-A	2.5m Cisco Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
QDD-400G-AOC3M-A	3m Cisco QDD-400G-AOC3M Compatible 400GBase-AOC QSFP-DD to QSFP-DD (MMF, 850 nm, LSZH) Active Optical Cable.
QDD-400-AOC4M-A	4m Cisco Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
AOC-D-D-400G-4M-A	4m Cisco Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
QDD-400G-AOC4M-A	4m Cisco QDD-400G-AOC4M Compatible 400GBase-AOC QSFP-DD to QSFP-DD (MMF, 850 nm, LSZH) Active Optical Cable.
QDD-400G-AOC5M-A	5m Cisco QDD-400G-AOC5M Compatible 400GBase-AOC QSFP-DD to QSFP-DD (MMF, 850 nm, LSZH) Active Optical Cable.
QDD-400G-AOC7M-A	7m Cisco QDD-400G-AOC7M Compatible 400GBase-AOC QSFP-DD to QSFP-DD (MMF, 850 nm, LSZH) Active Optical Cable.
QDD-400-AOC10M-A	10m Cisco Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
QDD-400G-AOC10M-A	10m Cisco QDD-400G-AOC10M Compatible 400GBase-AOC QSFP-DD to QSFP-DD (MMF, 850 nm, LSZH) Active Optical Cable.
QDD-400G-AOC12M-A	12m Cisco QDD-400G-AOC12M Compatible 400GBase-AOC QSFP-DD to QSFP-DD (MMF, 850 nm, LSZH) Active Optical Cable.
QDD-400-AOC13M-A	13m Cisco Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
QDD-400-AOC15M-A	15m Cisco Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
QDD-400G-AOC15M-A	15m Cisco QDD-400G-AOC15M Compatible 400GBase-AOC QSFP-DD to QSFP-DD (MMF, 850 nm, LSZH) Active Optical Cable.
QDD-400-AOC16M-A	16m Cisco Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
QDD-400-AOC18M-A	18m Cisco Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.

AOC

Part Number	Description
QDD-400-AOC20M-A	20m Cisco Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
QDD-400G-AOC20M-A	20m Cisco QDD-400G-AOC20M Compatible 400GBase-AOC QSFP-DD to QSFP-DD (MMF, 850 nm, LSZH) Active Optical Cable.
QDD-400-AOC24M-A	24m Cisco Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
QDD-400G-AOC25M-A	25m Cisco QDD-400G-AOC25M Compatible 400GBase-AOC QSFP-DD to QSFP-DD (MMF, 850 nm, LSZH) Active Optical Cable.
QDD-400G-AOC30M-A	30m Cisco QDD-400G-AOC30M Compatible 400GBase-AOC QSFP-DD to QSFP-DD (MMF, 850 nm, LSZH) Active Optical Cable.
QDD-400G-AOC-1M-A	1m Juniper Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 3.0) Active Optical Cable.
QDD-400G-AOC-2M-A	2m Juniper QDD-400G-AOC-2M Compatible 400GBase-AOC QSFP-DD to QSFP-DD (MMF, 850 nm, LSZH) Active Optical Cable.
QDD-400G-AOC-3M-A	3m Juniper Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 3.0) Active Optical Cable.
QDD-400G-AOC-4M-A	4m Juniper QDD-400G-AOC-4M Compatible 400GBase-AOC QSFP-DD to QSFP-DD (MMF, 850 nm, LSZH) Active Optical Cable.
QDD-400G-AOC-5M-A	5m Juniper Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 3.0) Active Optical Cable.
QDD-400G-AOC-7M-A	7m Juniper Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 3.0) Active Optical Cable.
QDD-400G-AOC-10M-A	10m Juniper Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 3.0) Active Optical Cable.
QDD-400G-AOC-12M-A	12m Juniper Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 3.0) Active Optical Cable.
QDD-400G-AOC-15M-A	15m Juniper Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 3.0) Active Optical Cable.
QDD-400G-AOC-20M-A	20m Juniper Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 3.0) Active Optical Cable.
QDD-400G-AOC-25M-A	25m Juniper QDD-400G-AOC-25M Compatible 400GBase-AOC QSFP-DD to QSFP-DD (MMF, 850 nm, LSZH) Active Optical Cable.
QDD-400G-AOC-30M-A	30m Juniper Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 3.0) Active Optical Cable.
MFA1W00-W020-A	20m Mellanox Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
MFA1W00-W050-A	50m Mellanox Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
AN-CAB-QDD-AOC-1M	1m MSA CAB-QDD-AOC-1M Compatible 400GBase-AOC QSFP-DD to QSFP-DD (MMF, 850 nm, LSZH) Active Optical Cable.
400GQSFPDD-AO001	1m MSA Compatible 400G QSFP-DD AOC (OM4 MMF).
CAB-QDD-AOC-1M-3-A	1m MSA Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 3.0) Active Optical Cable.
AN-CAB-QDD-AOC-2M	2m MSA CAB-QDD-AOC-2M Compatible 400GBase-AOC QSFP-DD to QSFP-DD (MMF, 850 nm, LSZH) Active Optical Cable.
400GQSFPDD-AO002	2m MSA Compatible 400G QSFP-DD AOC (OM4 MMF).

AOC	
Part Number	Description
400GQSFPDD-AO003	3m MSA Compatible 400G QSFP-DD AOC (OM4 MMF).
AN-CAB-QDD-AOC-3M	3m MSA CAB-QDD-AOC-3M Compatible 400GBase-AOC QSFP-DD to QSFP-DD (MMF, 850 nm, LSZH) Active Optical Cable.
AN-CAB-QDD-AOC-4M	4m MSA CAB-QDD-AOC-4M Compatible 400GBase-AOC QSFP-DD to QSFP-DD (MMF, 850 nm, LSZH) Active Optical Cable.
AN-QD400G-AOC-5M	5m MSA Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
AN-CAB-QDD-AOC-5M	5m MSA Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
AN-QD400G-AOC-6M	6m MSA Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
AN-QD400G-AOC-7M	7m MSA Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
AN-CAB-QDD-AOC-7M	7m MSA CAB-QDD-AOC-7M Compatible 400GBase-AOC QSFP-DD to QSFP-DD (MMF, 850 nm, LSZH) Active Optical Cable.
AN-QD400G-AOC-8M	8m MSA Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
AN-QD400G-AOC-9M	9m MSA Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
AN-QD400G-AOC-10M	10m MSA Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm) Active Optical Cable.
AN-CAB-QDD-AOC-10M	10m MSA CAB-QDD-AOC-10M Compatible 400GBase-AOC QSFP-DD to QSFP-DD (MMF, 850 nm, LSZH) Active Optical Cable.
AN-CAB-QDD-AOC-12M	12m MSA CAB-QDD-AOC-12M Compatible 400GBase-AOC QSFP-DD to QSFP-DD (MMF, 850 nm, LSZH) Active Optical Cable.
AN-CAB-QDD-AOC-15M	15m MSA CAB-QDD-AOC-15M Compatible 400GBase-AOC QSFP-DD to QSFP-DD (MMF, 850 nm, LSZH) Active Optical Cable.
AN-QD400G-AOC-15M	15m MSA Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
AN-QD400G-AOC-16M	16m MSA Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
AN-QD400G-AOC-17M	17m MSA Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
AN-CAB-QDD-AOC-20M	20m MSA CAB-QDD-AOC-20M Compatible 400GBase-AOC QSFP-DD to QSFP-DD (MMF, 850 nm, LSZH) Active Optical Cable.
AN-QD400G-AOC-20M	20m MSA Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
AN-QD400G-AOC-25M	25m MSA Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
AN-CAB-QDD-AOC-25M	25m MSA CAB-QDD-AOC-25M Compatible 400GBase-AOC QSFP-DD to QSFP-DD (MMF, 850 nm, LSZH) Active Optical Cable.
AN-CAB-QDD-AOC-30M	30m MSA CAB-QDD-AOC-30M Compatible 400GBase-AOC QSFP-DD to QSFP-DD (MMF, 850 nm, LSZH) Active Optical Cable.
AN-QD400G-AOC-30M	30m MSA Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.
AN-QD400G-AOC-50M	50m MSA Compatible 400GBase-AOC QSFP-DD to QSFP-DD (Aqua OM3 Fiber, 850 nm, CMIS 4.0) Active Optical Cable.

AOC	
Part Number	Description
800Gb/s	
AN-O800G-FIN-AOC-3M-ETH	3m MSA Compatible 800GBase-AOC OSFP Open Finned Top to OSFP Open Finned Top (MMF, 850nm, LSZH, Ethernet) Active Optical Cable
AN-O800G-FIN-AOC-5M-ETH	5m MSA Compatible 800GBase-AOC OSFP Open Finned Top to OSFP Open Finned Top (MMF, 850nm, LSZH, Ethernet) Active Optical Cable
AN-O800G-FIN-AOC-7M-ETH	7m MSA Compatible 800GBase-AOC OSFP Open Finned Top to OSFP Open Finned Top (MMF, 850nm, LSZH, Ethernet) Active Optical Cable
AN-O800G-FIN-AOC-9M-ETH	9m MSA Compatible 800GBase-AOC OSFP Open Finned Top to OSFP Open Finned Top (MMF, 850nm, LSZH, Ethernet) Active Optical Cable
AN-O800G-FIN-AOC-10M-ETH	10m MSA Compatible 800GBase-AOC OSFP Open Finned Top to OSFP Open Finned Top (MMF, 850nm, LSZH, Ethernet) Active Optical Cable
AN-O800G-FIN-AOC-12M-ETH	12m MSA Compatible 800GBase-AOC OSFP Open Finned Top to OSFP Open Finned Top (MMF, 850nm, LSZH, Ethernet) Active Optical Cable
AN-O800G-FIN-AOC-15M-ETH	15m MSA Compatible 800GBase-AOC OSFP Open Finned Top to OSFP Open Finned Top (MMF, 850nm, LSZH, Ethernet) Active Optical Cable
AN-O800G-FIN-AOC-30M-ETH	30m MSA Compatible 800GBase-AOC OSFP Open Finned Top to OSFP Open Finned Top (MMF, 850nm, LSZH, Ethernet) Active Optical Cable

To learn more visit

approvednetworks.com

ApprovedNetworks.com

800.590.9535 | sales@approvednetworks.com

©2026, Legrand. All rights reserved. The industry-leading brands of Approved Networks, Kratos Industries, Ortronics, Raritan, Server Technology, Starline, and ZPE Systems empower Legrand's Data, Power & Control division to produce innovative power, cooling, connectivity and management solutions for data center white space and gray space, building networks, and facility infrastructures. Our division designs, manufactures, and markets world-class products for a more efficient and sustainable future. The exceptional reliability of our technologies results from decades of proven performance and a dedication to research and development. Lit #V2377